

LUBRIFICANTI PER... PRODUZIONE DI BIRRA

DAL CAMPO ALLA BOTTIGLIA (O ALLA LATTINA)!



CODICE LUBRIFICANTE

■ Si richiede un lubrificante per uso alimentare H1
■ NON si richiede un lubrificante per uso alimentare

■ POTREBBE ESSERE richiesto un lubrificante per uso alimentare

Nota: queste raccomandazioni generali sui lubrificanti non intendono contravvenire alle leggi e/o ai requisiti locali. Per i requisiti specifici dei lubrificanti, si invita a consultare le autorità e le normative locali.

Marchi utilizzati su licenza.



PURITY™ FG

Impianto protetto. Cibo sicuro.

AN HF SINCLAIR BRAND

LUBRIFICANTI PER... PRODUZIONE DI BIRRA

1 MALTAZIONE

COMPONENTI

CONTATTO ACCIDENTALE – H1

Pompe	PURITY FG AW Hydraulic Fluid, PURITY FG-X AW Hydraulic Fluid ●, PURITY FG Synthetic Fluid
Cuscinetti volventi	PURITY FG2 Grease, PURITY FG2 Clear, PURITY FG2 Synthetic
Riduttore a ingranaggi	PURITY FG EP Gear Fluid ●, PURITY FG Synthetic EP Gear Fluid, PURITY FG PAG Gear oil

2 BIRRAFICIO

COMPONENTI

CONTATTO ACCIDENTALE – H1

Pompe	PURITY FG AW Hydraulic Fluid, PURITY FG-X AW Hydraulic Fluid ●, PURITY FG Synthetic Fluid
Cuscinetti volventi	PURITY FG2 Grease, PURITY FG2 Clear, PURITY FG2 Synthetic
Riduttore a ingranaggi	PURITY FG EP Gear Fluid ●, PURITY FG Synthetic EP Gear Fluid, PURITY FG PAG Gear oil

3 FERMENTAZIONE

COMPONENTI

CONTATTO ACCIDENTALE – H1

Separatori (scatola ingranaggi)	PURITY FG EP Gear Fluid ●, PURITY FG Synthetic EP Gear Fluid, PURITY FG PAG Gear Oils
Separatori (idraulici)	PURITY FG AW Hydraulic Fluid, PURITY FG-X AW Hydraulic Fluid ●, PURITY FG Synthetic Fluid
Pompe	PURITY FG AW Hydraulic Fluid, PURITY FG-X AW Hydraulic Fluid ●, PURITY FG Synthetic Fluid
Cuscinetti volventi	PURITY FG2 Grease, PURITY FG2 Clear, PURITY FG2 Synthetic
Riduttore a ingranaggi	PURITY FG EP Gear Fluid ●, PURITY FG PAG Gear Oil, PURITY FG Synthetic EP Gear Fluid

4 CARRELLO ELEVATORE

COMPONENTI

CONTATTO ACCIDENTALE – H1

NON PER USO ALIMENTARE

Cuscinetti volventi	PURITY FG2 Grease, PURITY FG2 Clear, PURITY FG2 Synthetic, PURITY FG2 Multi Purpose	PRECISION™ XL EP-2
Catena	PURITY FG Chain Fluid, PURITY FG Spray	
Impianto idraulico	PURITY FG AW Hydraulic Fluid, PURITY FG-X AW Hydraulic Fluid ●, PURITY FG2 Synthetic	HYDREX™

Marchi utilizzati su licenza.

PURITY™ FG

Impianto protetto. Cibo sicuro.

LUBRIFICANTI PER... PRODUZIONE DI BIRRA

5 DEPALLETTIZZATORE

COMPONENTI	CONTATTO ACCIDENTALE – H1	NON PER USO ALIMENTARE
Riduttore a ingranaggi	PURITY FG EP Gear Fluid ●, PURITY FG Synthetic EP Gear Fluid, PURITY FG PAG Gear Oil	
Pompa a vuoto	PURITY FG Synthetic Fluid	SUPERVAC™ 20
Cuscinetti volventi	PURITY FG2 Grease, PURITY FG2 Clear PURITY FG2 Synthetic, PURITY FG2 with MICROL Max†*, PURITY FG2 Multi Purpose	
Impianto idraulico	PURITY FG AW Hydraulic Fluid, PURITY FG-X AW Hydraulic Fluid ●, PURITY FG Synthetic Fluid	

6 SCIACQUATRICE PER BOTTIGLIE/LATTINE

COMPONENTI	CONTATTO ACCIDENTALE – H1
Cuscinetti volventi	PURITY FG2 Grease, PURITY FG2 Clear PURITY FG2 Synthetic, PURITY FG2 with MICROL Max†*, PURITY FG2 Multi Purpose
Riduttore a ingranaggi	PURITY FG EP Gear Fluid ●, PURITY FG PAG Gear Oil, PURITY FG Synthetic EP Gear Fluid

7 RIEMPITRICE

COMPONENTI	CONTATTO ACCIDENTALE – H1
Riempitrice rotativa automatica	PURITY FG00, PURITY FG1, PURITY FG Synthetic Fluid, PURITY FG2 Synthetic, PURITY FG2 Multi Purpose
Cuscinetti volventi	PURITY FG2 Grease, PURITY FG2 Clear, PURITY FG2 Multi Purpose, PURITY FG2 Synthetic, PURITY FG2 Synthetic Heavy 220, PURITY FG2 with MICROL Max†*, PURITY FG Synthetic Fluid, PURITY FG2 Synthetic, PURITY FG2 Multi Purpose
Riduttore a ingranaggi	PURITY FG EP Gear Fluid ●, PURITY FG Synthetic EP Gear Fluid, PURITY FG PAG Gear Oil

Marchi utilizzati su licenza.

† MICROL è un agente conservante antimicrobico che protegge il lubrificante da deterioramento, contaminazione e odori causati da microrganismi.

PURITY™ FG

Impianto protetto. Cibo sicuro.

LUBRIFICANTI PER... PRODUZIONE DI BIRRA

8 TAPPATURA DI BOTTIGLIE E AGGRAFFATURA DI LATTINE

COMPONENTI	CONTATTO ACCIDENTALE – H1
Teste di aggraffatura e cuscinetti volventi	PURITY FG2 Grease, PURITY FG2 Clear, PURITY FG2 Multi Purpose, PURITY FG2 Synthetic, PURITY FG2 Synthetic Heavy 220, PURITY FG2 with MICROL Max [†] *
Teste di aggraffatura autolubrificanti e cuscinetti volventi	PURITY FG00, PURITY FG1, PURITY FG2 Synthetic
Aggraffatrice Angelus (in base al modello)	PURITY FG Seamer-E Fluid
Applicazioni di olio non emulsionante per aggraffatura	PURITY FG EP Synthetic Gear Fluid (H1), PURITY FG EP Gear Fluid 150, 220 (H1)
Riduttore a ingranaggi	PURITY FG EP Gear Fluid ●, PURITY FG Synthetic EP Gear Fluid, PURITY FG PAG Gear Oil

9 BOTTE

COMPONENTI	CONTATTO ACCIDENTALE – H1
Olio per linee d'aria	PURITY FG AW Hydraulic Fluid, PURITY FG-X AW Hydraulic Fluid ●
Trasportatore	PURITY FG Chain Fluid, PURITY FG Spray, PURITY FG PAG Gear Oil
Riduttore a ingranaggi	PURITY FG EP Gear Fluid ●, PURITY FG Synthetic EP Gear Fluid, PURITY FG PAG Gear Oil
Cuscinetti volventi	PURITY FG2 Grease, PURITY FG2 Clear, PURITY FG2 Synthetic, PURITY FG2 Multi Purpose

10 SCIACQUATRICE DI FUSTI

COMPONENTI	CONTATTO ACCIDENTALE – H1
Cuscinetti volventi	PURITY FG2 Grease, PURITY FG2 Clear, PURITY FG2 Synthetic, PURITY FG2 Multi Purpose
Riduttore a ingranaggi	PURITY FG EP Gear Fluid ●, PURITY FG Synthetic EP Gear Fluid, PURITY FG PAG Gear Oil

11 RIEMPITRICE DI FUSTI

COMPONENTI	CONTATTO ACCIDENTALE – H1
Impianto idraulico	PURITY FG-X AW Hydraulic Fluid ●, PURITY FG Synthetic Fluid, PURITY FG AW Hydraulic Fluid
Cuscinetti volventi e camme con autolubrificazione	PURITY FG00, PURITY FG2 Synthetic
Cuscinetti volventi	PURITY FG2 Grease, PURITY FG2 Clear, PURITY FG2 Synthetic, PURITY FG2 Multi Purpose
Riduttore a ingranaggi	PURITY FG EP Gear Fluid ●, PURITY FG Synthetic EP Gear Fluid, PURITY FG PAG Gear Oil

H1 – Contatto accidentale con gli alimenti | H2 – Nessun contatto con gli alimenti | ● – SynFX[®]
Marchi utilizzati su licenza.

PURITY™ FG

Impianto protetto. Cibo sicuro.

LUBRIFICANTI PER... PRODUZIONE DI BIRRA

12 CHIUSURA DI FUSTI

COMPONENTI

CONTATTO ACCIDENTALE – H1

Riduttore a ingranaggi

PURITY FG EP Gear Fluid ●, PURITY FG Synthetic EP Gear Fluid, PURITY FG PAG Gear Oil

Impianto idraulico

PURITY FG AW Hydraulic Fluid, PURITY FG-X AW Hydraulic Fluid ●

13 ETICHETTATURA/IMBALLAGGIO

COMPONENTI

CONTATTO ACCIDENTALE – H1

Riduttori a ingranaggi e scatole ingranaggi

PURITY FG EP Gear Fluid ●, PURITY FG Synthetic EP Gear Fluid, PURITY FG PAG Gear Oil

Sistema di lubrificazione

PURITY FG00, PURITY FG1, PURITY FG Synthetic Fluid, PURITY FG2 Synthetic, PURITY FG2 Synthetic Heavy 220, PURITY FG2 Multi Purpose

Cuscinetti volventi

PURITY FG2 Grease, PURITY FG2 Clear, PURITY FG2 Synthetic, PURITY FG2 Synthetic Heavy 220, PURITY FG2 with MICROL Max[†]*, PURITY FG2 Multi Purpose

14 IMPILAGGIO E PALLETIZZAZIONE

COMPONENTI

CONTATTO ACCIDENTALE – H1

NON PER USO ALIMENTARE

Cuscinetti volventi

PURITY FG2 Grease, PURITY FG2 Clear, PURITY FG2 Synthetic, PURITY FG2 Synthetic Heavy 220, PURITY FG2 with MICROL Max[†]*, PURITY FG2 Multi Purpose

PRECISIONE XL EP2

Impianto idraulico

PURITY FG AW Hydraulic Fluid, PURITY FG-X AW Hydraulic Fluid ●

HYDREX AW 46

Riduttore a ingranaggi

PURITY FG EP Gear Fluid ●, PURITY FG Synthetic EP Gear Fluid, PURITY FG PAG Gear Oil

ENDURATEX EP, ENDURATEX Synthetic EP

15 LUBRIFICANTI PER IL TRASPORTO

COMPONENTI

NON PER USO ALIMENTARE

Motore diesel

DURON™

Motore a gas

SUPREME™

Assali e ingranaggi per autoveicoli

TRAXON™

Trasmissione automatica

Petro-Canada ATF, DURADRIVE™ MV Synthetic

Requisiti del grasso

PRECISION, PEERLESS™

Questo documento è da intendersi solo come guida. Per ulteriori informazioni su requisiti o richieste specifiche della vostra attività, contattate il vostro rappresentante Petro-Canada Lubricants.

Marchi utilizzati su licenza. LUB2634E (2022:12)

*I prodotti disponibili solo in Nord America sono PURITY FG2 with Microl Max e Peerless Poly EMB.

PURITY™ FG

Impianto protetto. Cibo sicuro.